	Application No.	Applicant(s)
Notice of Allowability	10/635,123	BLUNK ET AL.
	Examiner	Art Unit
	Jonathan S. Crepeau	1746
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>amendment of 2/15/05</u> .		
2. The allowed claim(s) is/are <u>1-17,19-21 and 23-38</u> .		
3. 🗵 The drawings filed on <u>06 August 2003</u> are accepted by the Examiner.		
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet, Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	·	
Attachment(s)	<u>_</u>	
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summar Paper No./Mail Da	
3. A Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1/13/05		
4. Examiner's Comment Regarding Requirement for Deposit	- ·	nent of Reasons for Allowance
of Biological Material	9. Other	
		•
		· ·

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04)

w

Page 2

Application/Control Number: 10/635,123

Art Unit: 1746 -

DETAILED ACTION

Examiner's Amendment

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Ryan Massey on April 28, 2005.

The application has been amended as follows:

IN THE CLAIMS:

Claim 19, line 1, delete "18" and insert --15--.

Allowable Subject Matter

- 3. Claims 1-17, 19-21, and 23-38 allowed.
- 4. The following is an examiner's statement of reasons for allowance:

Independent claims 1, 23, 24, and 29 each recite, among other features, an electrically conductive adhesive having a glass transition temperature of less than -20°C. EP 1009051, the closest prior art, discloses a number of adhesives, e.g., in paragraphs [0018], [0019], and in claim

7. However, the reference does not teach or fairly suggest that any of these adhesives possesses

Art Unit: 1746

the claimed glass transition temperature range. Several of the disclosed adhesives are also disclosed in the instant specification in paragraphs [0052] and [0053] as being both high and low glass transition temperature adhesives. Thus, the Tg is not an inherent characteristic of the material. It is further noted that adhesive "System Supreme 10 HTS" is disclosed by the reference in paragraph [0018]. During a conversation on April 8, 2005 with Dr. Brenner of MasterBond, Inc., the manufacturer of the adhesive, it was stated that the Tg of that adhesive is in the range of 125°C. As such, nothing in the EP reference teaches or fairly suggests the claimed Tg range of less than -20°C.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Crepeau whose telephone number is (571) 272-1299. The examiner can normally be reached Monday-Friday from 9:30 AM - 6:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr, can be reached at (571) 272-1414. The phone number for the organization where this application or proceeding is assigned is (571) 272-1700. Documents may be faxed to the central fax server at (703) 872-9306.

Application/Control Number: 10/635,123 Page 4

Art Unit: 1746

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

J. hy

Jonathan Crepeau Primary Examiner Art Unit 1746 April 27, 2005